

# stick

listino - price list



## BONUS IDRICO LEGGE DI BILANCIO 2021


Decreto legge del 27/09/2021

### FINITURE FINISHES

La serie **STICK** è disponibile nelle seguenti finiture:  
*STICK range is available in the following finishes:*

CR      cromato  
          *chrome plated*

# stick




Miscelatore incasso lavabo (max 6 l/min) completo di:  
 • piastre Ø70mm  
 • attacchi 1/2"G  
 Concealed single lever basin mixer (max 6 l/min) complete with:  
 • wall plates Ø70mm  
 • 1/2"G connections

**SK 006..-R6**  
 con bocca e aeratore M22x1 - l. 175mm  
 with spout and aerator M22x1 - l. 175mm

**Finiture - Finishes**    **EUR**  
 CR

**SK 007..-R6**  
 con bocca e aeratore M22x1 - l. 245mm  
 with spout and aerator M22x1 - l. 245mm

CR



Miscelatore incasso lavabo (max 6 l/min) completo di:  
 • piastra in acciaio inox 250x100mm  
 • attacchi 1/2"G  
 Concealed single lever basin mixer (max 6 l/min) complete with:  
 • stainless steel wall plate 250x100mm  
 • 1/2"G connections

**SK 104..-R6**  
 con bocca e aeratore M16x1 - l. 123mm  
 with spout and aerator M16x1 - l. 123mm


**Finiture - Finishes**    **EUR**  
 CR

**SK 105..-R6**  
 con bocca e aeratore M16x1 - l. 178mm  
 with spout and aerator M16x1 - l. 178mm

CR

**SK 106..-R6**  
 con bocca e aeratore M16x1 - l. 248mm  
 with spout and aerator M16x1 - l. 248mm

CR



Miscelatore incasso lavabo (max 6 l/min) completo di:  
 • piastre in ottone Ø70mm  
 • attacchi 1/2"G  
 Concealed single lever basin mixer (max 6 l/min) complete with:  
 • metal wall plates Ø70mm  
 • 1/2"G connections

**SK 104..-R6**  
 con bocca e aeratore M16x1 - l. 123mm  
 with spout and aerator M16x1 - l. 123mm


**Finiture - Finishes**    **EUR**  
 CR

**SK 105..-R6**  
 con bocca e aeratore M16x1 - l. 178mm  
 with spout and aerator M16x1 - l. 178mm

CR

**SK 106..-R6**  
 con bocca e aeratore M16x1 - l. 248mm  
 with spout and aerator M16x1 - l. 248mm

CR



Miscelatore lavabo (max 6 l/min) completo di:  
 • aeratore M24x1  
 • set 2 flessibili inox 3/8"G  
 Wash basin mixer (max 6 l/min) complete with:  
 • aeratore M24x1  
 • set of 2 stainless steel hoses 3/8"G

**SK 071H..-R6**  
 senza scarico  
 without pop up waste


**Finiture - Finishes**    **EUR**  
 CR

**SK 071HK..-R6**  
 con scarico Clic-Clac 1"1/4G  
 with 1"1/4G Clic-Clac press top waste

CR

**SK 075H..-R6**  
 con scarico automatico 1"1/4G  
 with 1"1/4G pop up waste

CR



Miscelatore lavabo (max 6 l/min) completo di:


- cartuccia Energy & Water Saving
- aeratore M24x1
- set 2 flessibili inox 3/8"G

Wash basin mixer (max 6 l/min) complete with:

- Energy & Water Saving cartridge
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

**SK 071H.. -EWS-R6** ..... Finiture - Finishes ..... EUR  
 senza scarico ..... CR  
 without pop up waste


**SK 075H.. -EWS-R6** ..... Finiture - Finishes ..... EUR  
 con scarico automatico 1"1/4G ..... CR  
 with 1"1/4G pop up waste



**ENERGY SAVING**

Risparmia energia, perchè apre al centro e dà acqua fredda, mentre l'acqua calda esce solo con il movimento della leva verso sinistra.


It saves energy delivering cold water from middle position already; hot water comes out with handle left movement only.



**WATER SAVING**

Risparmia acqua, perchè dobbiamo vincere un'altra resistenza in apertura per avere più portata d'acqua (funge da deterrente contro l'inconsapevole apertura completa dell'acqua).

It saves water, because user must override "resistance bump" to obtain high flow - acts as deterrent to unconsciously turning handle on to full flow position regardless of water requirement.




Miscelatore lavabo (max 6 l/min) completo di:

- aeratore M24x1
- set 2 flessibili inox 3/8"G

Wash basin mixer (max 6 l/min) complete with:

- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

**SK 071H.. 120-R6** ..... Finiture - Finishes ..... EUR  
 senza scarico ..... CR  
 • con prolunga 125 mm  
 without pop up waste  
 • with extension 125 mm



Miscelatore bidet (max 6 l/min) completo di:

- con snodo e aeratore M24x1
- set 2 flessibili inox 3/8"G

Bidet mixer (max 6 l/min) complete with:


- with swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G

**SK 131H.. -R6** ..... Finiture - Finishes ..... EUR  
 senza scarico ..... CR  
 without pop up waste

**SK 131HK.. -R6** ..... Finiture - Finishes ..... EUR  
 con scarico Clic-Clac 1"1/4G ..... CR  
 with 1"1/4G Clic-Clac press top waste

**SK 135H.. -R6** ..... Finiture - Finishes ..... EUR  
 con scarico automatico 1"1/4G ..... CR  
 with 1"1/4G pop up waste


# stick



Miscelatore doccia (max 9 l/min) completo di:  
 • set 2 eccentrici 1/2"x3/4"G e rosoni  
 Shower mixer (max 9 l/min) complete with:  
 • set of 2 S-wall-unions 1/2"x3/4"G and wall-plates


**SK 168.. -R9** ..... **Finiture - Finishes** **EUR**  
**FR03SRUWRDPWRV0GDWRL0** ..... **CR**

- con doccia e flessibile
- with ABS joint wall bracket
- with hand-shower and flexible hose




Miscelatore lavello monoforo (max 6 l/min) completo di:  
 • aeratore M22x1F  
 • set 2 flessibili inox 3/8"G  
 One-hole sink mixer (max 6 l/min) complete with:  
 • aerator M22x1F  
 • set of 2 stainless steel hoses 3/8"G

**SK 180.. -R6** ..... **Finiture - Finishes** **EUR**  
 con canna orientabile ..... **CR**  
 with swivelling spout



Miscelatore lavello monoforo con canna orientabile (max 6 l/min) completo di:  
 • set 2 flessibili inox 3/8"G  
 • 1 flessibile inox M15x1  
 • 1 flessibile nylon 1/2"G x M15x1 cm. 150 con piombo  
 One-hole sink mixer with swivelling spout (max 6 l/min) complete with:  
 • set of 2 stainless steel hoses 3/8"G  
 • 1 stainless steel hose M15x1  
 • 1/2"-M15x1 / L.1500 mm nylon hose with weight


**SK 185.. -R6** ..... **Finiture - Finishes** **EUR**  
 con doccia estraibile (monogetto) in ..... **CR**  
 metallo  
 with (single spray) metal pull out hand-  
 shower



Miscelatore lavello monoforo con canna orientabile (max 6 l/min) completo di:  
 • set 2 flessibili inox 3/8"G  
 One-hole sink mixer with swivelling spout (max 6 l/min) complete with:  
 • set of 2 stainless steel hoses 3/8"G

**SK 176.. -R6** ..... **Finiture - Finishes** **EUR**  
 Professional ..... **CR**

- con doccia Happy (2 getti) in ABS
- Professional
- with Happy (two-spray) ABS hand-  
 shower




Miscelatore lavello monoforo con canna orientabile (max 6 l/min) completo di:  
 • set 2 flessibili inox 3/8"G  
 One-hole sink mixer with swivelling spout (max 6 l/min) complete with:  
 • set of 2 stainless steel hoses 3/8"G

**SK 177.. -R6**

**Finiture - Finishes**    **EUR**  
**CR**

- Professional  
 • con doccia Bombata (2 getti) in ABS  
 Professional  
 • with Bombata (two-spray) ABS hand-shower




Miscelatore lavello monoforo con canna orientabile (max 6 l/min) completo di:  
 • set 2 flessibili inox 3/8"G  
 One-hole sink mixer with swivelling spout (max 6 l/min) complete with:  
 • set of 2 stainless steel hoses 3/8"G

**SK 178.. -R6**

**Finiture - Finishes**    **EUR**  
**CR**

- Professional  
 • con doccia Lux (2 getti) in ABS  
 Professional  
 • with Lux (two-spray) ABS hand-shower




Miscelatore lavello monoforo con canna orientabile (max 6 l/min) completo di:  
 • set 2 flessibili inox 3/8"G  
 One-hole sink mixer with swivelling spout (max 6 l/min) complete with:  
 • set of 2 stainless steel hoses 3/8"G

**SK 179.. -R6**

**Finiture - Finishes**    **EUR**  
**CR**

- Professional  
 • con doccia Minimal (2 getti) in ABS  
 Professional  
 • with Minimal (two-spray) ABS hand-shower




Miscelatore lavello monoforo con canna orientabile (max 6 l/min) completo di:  
 • aeratore M22x1  
 • set 2 flessibili inox 3/8"G  
 • 1 flessibile inox 3/4"G  
 One-hole sink mixer with swivelling spout (max 6 l/min) complete with:  
 • aerator M22x1  
 • set of 2 stainless steel hoses 3/8"G  
 • 1 stainless steel hose 3/4"G

**SK 184.. -R6**

**Finiture - Finishes**    **EUR**  
**CR**

- con attacco lavastoviglie  
 with dishwasher machine connection

# stick




Miscelatore lavello monoforo con canna orientabile (max 6 l/min) completo di:

- aeratore M22x1
- set 2 flessibili inox 3/8"G
- 1 flessibile inox 1/2"G

One-hole sink mixer with swivelling spout (max 6 l/min) complete with:

- aerator M22x1
- set of 2 stainless steel hoses 3/8"G
- 1 stainless steel hose 1/2"G

**SK 190..-R6 3 VIE** ..... **Finiture - Finishes** ..... **EUR**  
 3° ingresso per acqua depurata ..... **CR**  
 3rd inlet for purified water




Miscelatore lavello monoforo con canna orientabile (max 6 l/min) completo di:

- aeratore M22x1
- set 2 flessibili inox 3/8"G

One-hole sink mixer with swivelling spout (max 6 l/min) complete with:

- aerator M22x1
- set of 2 stainless steel hoses 3/8"G

**SK 189..-R6** ..... **Finiture - Finishes** ..... **EUR**  
 con canna reclinabile ..... **CR**  
 • altezza minima per apertura finestra  
 76 mm  
 with reclining spout  
 • minimum height for windows opening  
 76 mm





Colonna doccia regolabile MASTER TOP (max 9 l/min) completa di:

- deviatore
- supporto scorrevole tondo
- doccia MASTER in metallo
- soffione MASTER tondo Ø225mm in metallo
- flessibile PVC argento 1500 mm

MASTER TOP adjustable shower column (max 9 l/min) complete with:

- diverter
- round sliding bracket
- MASTER metal hand-shower
- MASTER Ø225mm "Round" metal shower head
- Silver PVC flexible hose 1500mm

**ZCOL 621..-R9 MASTER TOP** ..... **Finiture - Finishes** ..... **EUR**  
 con miscelatore SK168RCR ..... **CR**  
 with mixer SK168RCR




Soffione MASTER "Tondo" (max 9 l/min) in metallo:

- anticalcare
- spessore 8mm
- con snodo 1/2"G

MASTER "Round" metal shower head (max 9 l/min):

- antiscala system
- 8mm thickness
- 1/2"G swivel joint

**ZSOF 074..-R9 MASTER** ..... **Finiture - Finishes** ..... **EUR**  
 ispezionabile - Ø225mm ..... **CR**  
 inspectable - Ø225mm



Soffione MASTER KING "Tondo" (max 9 l/min) in metallo:

- anticalcare
- spessore 8mm
- con snodo 1/2"G

MASTER KING "Round" metal shower head (max 9 l/min):

- antiscaling system
- 8mm thickness
- 1/2"G swivel joint

ZSOF 079.. -R9 MASTER KING

Finiture - Finishes

EUR

ispezionabile - Ø300mm

CR

inspectable - Ø300mm

		Finiture - Finishes	EUR
ZACC243	Riduttore di portata (max 9 l/min) per artt. ZSOF 074-079 Flow reducer (max 9 l/min) for artt. ZSOF 074-079		
ZACC307	Valvolina antiritorno D.15 (max 9 l/min) per artt. SK 168-168D / ZDOC 032 / ZDUP 054-060-094 D.15 check valve (max 9 l/min) for artt. SK 168-168D / ZDOC 032 / ZDUP 054-060-094		
ZACC456	Valvolina antiritorno D.15 (max 9 l/min) per artt. SK 176-177 D.15 check valve (max 9 l/min) for artt. SK 176-177		
ZACC479	Valvolina antiritorno D.14 (max 9 l/min) per artt. SK 178-179 D.14 check valve (max 9 l/min) for artt. SK 178-179		
ZAER033CR-6	Aeratore F22x1 (max 6 l/min) per artt. SK 006..70-007..70-180-184-189-190 Aerator F22x1 (max 6 l/min) for artt. SK 006..70-007..70-180-184-189-190	CR	
ZAER039CR-6	Aeratore Ø28 - F22x1 (max 6 l/min) per artt. SK 185 Aerator Ø28 - F22x1 (max 6 l/min) for artt. SK 185	CR	
ZAER16FCR-6	Aeratore F16x1 (max 6 l/min) per artt. SK 104-105-106 Aerator F16x1 (max 6 l/min) for artt. SK 104-105-106	CR	
ZAER24MCR-6	Aeratore M24x1 (max 6 l/min) per artt. SK 071H-071HK-071H..120-075H-131H-131HK-135 Aerator M24x1 (max 6 l/min) for artt. SK 071H-071HK-071H..120-075H-131H-131HK-135	CR	



**ZRAC141** Raccordo F1/2"xM1/2" con valvolina antiritorno D.15 (max 9 l/min) per art. ZDOC 067  
F1/2"xM1/2" connection with D.15 check valve (max 9 l/min) for art. ZDOC 067

**Finiture - Finishes** ..... **EUR**  
**CR**

.....

