




Listino
Price-List

20


steel
stainless innovation



La serie **STEEL** è realizzata completamente in ACCIAIO
***STEEL** range is completely STAINLESS STEEL made*

AC acciaio
steel

steel




- Miscelatore lavabo completo di:
- aeratore
 - set 2 flessibili inox 3/8"G - 450mm
- Wash basin mixer complete with:
- aerator
 - set of 2 stainless steel hoses 3/8"G - 450mm

STEEL 071.. Finiture - Finishes EUR

senza scarico
without pop up waste AC

STEEL 075.. AC

con scarico automatico 1"1/4G
with 1"1/4G pop up waste




- Miscelatore lavabo prolungato completo di:
- aeratore
 - set 2 flessibili inox 3/8"G - 450mm
- Tall wash basin mixer complete with:
- aerator
 - set of 2 stainless steel hoses 3/8"G - 450mm

STEEL 081.. Finiture - Finishes EUR

senza scarico
without pop up waste AC



STEEL 006..70




- Miscelatore incasso lavabo completo di:
- piastre in acciaio Ø70mm
 - attacchi 1/2"G
- Concealed single lever basin mixer complete with:
- stainless steel wall plates Ø70mm
 - 1/2"G connections

STEEL 005.. 70 Finiture - Finishes EUR

con bocca e aeratore - l. 190mm
with spout and aerator - l. 190mm AC

STEEL 006.. 70 AC

con bocca e aeratore - l. 250mm
with spout and aerator - l. 250mm



Miscelatore incasso lavabo completo di:

- piastra in acciaio inox 185x110mm
- attacchi 1/2"G

Concealed single lever basin mixer complete with:

- stainless steel wall plate 185x110mm
- 1/2"G connections


STEEL 101..

con bocca e aeratore - l. 225mm
with spout and aerator - l. 225mm

Finiture - Finishes

EUR

AC



Miscelatore bidet completo di:

- snodo e aeratore
- set 2 flessibili inox 3/8"G - 450mm

Bidet mixer complete with:

- swivel joint and aerator
- set of 2 stainless steel hoses 3/8"G - 450mm

STEEL 131..

senza scarico
without pop up waste

Finiture - Finishes


EUR

AC

STEEL 135..

con scarico automatico 1 1/4 G
with 1 1/4 G pop up waste

AC



Miscelatore vasca/doccia con deviatore completo di:

- aeratore
- set 2 eccentrici 1/2"x3/4"G e rosoni

Bath/shower mixer with diverter complete with:

- aerator
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

STEEL 022..

senza set doccia
without shower set

Finiture - Finishes

EUR


AC

STEEL 026..

con supporto a muro fisso in acciaio inox
with stainless steel fixed wall bracket
• con doccia e flessibile
with hand-shower and flexible hose

AC

steel




- cartuccia deviatore
- piastra in acciaio inox 325x122mm
- bocca con aeratore

- diverter cartridge
- stainless steel wall plate 325x122mm
- spout with aerator

senza set doccia
without shower set

AC




- cartuccia deviatore
- piastra in acciaio inox 325x122mm
- bocca con aeratore

- diverter cartridge
- stainless steel wall plate 325x122mm
- spout with aerator

con doccia Minimal Steel e flessibile
with Minimal Steel hand-shower and
flexible hose

AC



- piastra in acciaio inox Ø70mm
- attacchi 1/2"G


- stainless steel wall plate Ø70mm
- 1/2" G connections

senza deviatore
without diverter

AC

AC

- H38mm



- piastra in acciaio inox Ø55mm
- piastra in acciaio inox Ø70mm
- attacchi 1/2"G


- stainless steel wall plate Ø55mm
- stainless steel wall plate Ø70mm
- 1/2" G connections

con cartuccia deviatore
with diverter cartridge

AC

AC

- H38mm



Miscelatore doccia completo di:

- set 2 eccentrici 1/2"x3/4"G e rosoni

Shower mixer complete with:

- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

STEEL 168

Finiture - Finishes

EUR


senza set doccia

- con attacco **inferiore** 1/2"G

without shower set

- with 1/2"G **lower** connection

AC



Miscelatore doccia completo di:

- set 2 eccentrici 1/2"x3/4"G e rosoni

Shower mixer complete with:

- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

STEEL 168R..

Finiture - Finishes

EUR

rovesciato senza set doccia

- con attacco **superiore** 1/2"G

- per colonna doccia **ZCOL501**

overturned without shower set

- with 1/2"G **upper** connection


- for shower column **ZCOL501**

AC

* Solo in abbinamento con colonne doccia

* To be used with shower columns only

termostatico - thermostatic



Miscelatore termostatico doccia completo di:

- cartuccia apertura/chiusura

- set 2 eccentrici 1/2"x3/4"G e rosoni

- attacchi 1/2"G

Thermostatic shower mixer complete with:

- opening/closing cartridge

- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

- 1/2"G connections

STEELQ 168

Finiture - Finishes

EUR

senza set doccia


- con attacco **inferiore** 1/2"G

without shower set

- with 1/2"G **lower** connection

AC

termostatico - thermostatic



Miscelatore termostatico doccia completo di:

- cartuccia apertura/chiusura

- set 2 eccentrici 1/2"x3/4"G e rosoni

- attacchi 1/2"G

Thermostatic shower mixer complete with:

- opening/closing cartridge

- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

- 1/2"G connections

STEELQ 168R..

Finiture - Finishes

EUR

rovesciato senza set doccia

- con attacco **superiore** 1/2"G

- per colonna doccia **ZCOL500**

overturned without shower set

- with 1/2"G **upper** connection


- for shower column **ZCOL500**

AC

* Solo in abbinamento con colonne doccia

* To be used with shower columns only

steel



Miscelatore lavello monoforo completo di:

- aeratore
- set 2 flessibili inox 3/8"G - 450mm

One-hole sink mixer complete with:

- aerator
- set of 2 stainless steel hoses 3/8"G - 450mm

STEEL2 180..


Finiture - Finishes

EUR

con canna orientabile

AC

with swivelling spout



Miscelatore lavello monoforo con canna orientabile completo di:

- set 2 flessibili inox 3/8"G - 450mm
- 1 flessibile nylon 1/2"G x M15x1 cm. 150 con piombo

One-hole sink mixer with swivelling spout complete with:

- set of 2 stainless steel hoses 3/8"G - 450mm
- 1/2"-M15x1 / L.1500 mm nylon hose with weight

STEEL2 185..



Finiture - Finishes

EUR

con doccia estraibile (monogetto) in acciaio inox

AC

with (single spray) stainless steel pull out hand-shower



Colonna doccia regolabile STEEL completa di:

- cartuccia deviatore
- supporti regolabili
- doccia Minimal Steel in acciaio inox
- soffione STEEL tondo Ø230mm in acciaio inox
- flessibile 1500mm

STEEL adjustable shower column complete with:

- diverter cartridge
- adjustable wall brackets
- Minimal Steel stainless steel hand-shower
- STEEL Ø230mm "Round" stainless steel shower head
- Flexible hose 1500mm

ZCOL 500 STEEL TOP

Finiture - Finishes

EUR

con miscelatore termostatico STEELQ 168RAC (con deviatore)

AC

with thermostatic shower mixer STEELQ 168RAC (with diverter)


ZCOL 501 STEEL

Finiture - Finishes

AC

con miscelatore STEEL 168RAC

with shower mixer STEEL 168RAC



Saliscendi STEEL SOFT completo di:

- asta Ø19 x L.700 mm in acciaio inox
- supporti regolabili in acciaio inox
- supporto doccia scorrevole in acciaio inox
- doccia Soft Steel in acciaio inox
- flex metallo doppia aggraffatura 1500 mm con calotta conica girevole

STEEL SOFT sliding rail shower set complete with:

- stainless steel rod Ø19 x L.700 mm
- adjustable stainless steel wall brackets
- stainless steel slider bracket
- Soft Steel stainless steel hand-shower
- double interlock twist-free metal flexible hose 1500 mm with conical nut


ZSAL 200 STEEL SOFT

Finiture - Finishes **EUR**

con interasse 600 mm

AC

with distance between centres 600 mm



Preso acqua a muro Steel in acciaio inox completa di:

- attacchi 1/2"G

Steel stainless steel water wall intake complete with:

- 1/2"G connections


ZACC 416 STEEL

Finiture - Finishes **EUR**

senza piastra

AC

without wall plate



Braccio doccia Steel completo di:

- rosone tondo - Ø70mm
- attacchi 1/2"G

Steel shower arm complete with:

- round wall plate - Ø70mm
- 1/2"G connections


ZSOF 111 STEEL

Finiture - Finishes **EUR**

con lunghezza l. 400mm

AC

with length l. 400mm



Soffione STEEL "Tondo" in acciaio inox:

- anticalcare
- spessore 6mm
- con snodo 1/2"G


STEEL "Round" stainless steel shower head:

- antiscale system
- 6mm thickness
- 1/2"G swivel joint

ZSOF 112 STEEL

Ø230mm
Ø230mm

Finiture - Finishes **EUR**
AC



Soffione STEEL "Tondo" in acciaio inox:

- anticalcare
- spessore 6mm
- con snodo 1/2"G


STEEL "Round" stainless steel shower head:

- antiscale system
- 6mm thickness
- 1/2"G swivel joint

ZSOF 113

Ø300mm
Ø300mm

Finiture - Finishes **EUR**
AC



Doccia Minimal Steel completa di:

- attacco 1/2"G


Minimal Steel hand-shower complete with:

- 1/2"G connection

ZDOC 109 MINIMAL STEEL

(monogetto) in acciaio inox
(single spray) stainless steel

Finiture - Finishes **EUR**
AC



Doccia Soft Steel completa di:

- attacco 1/2"G


Soft Steel hand-shower complete with:

- 1/2"G connection

ZDOC 111 SOFT STEEL

(monogetto) in acciaio inox
(single spray) stainless steel

Finiture - Finishes **EUR**
AC



- Set doccia incasso tondo completo di:
- doccia Minimal Steel (monogetto) in acciaio inox
 - supporto incasso tondo in acciaio inox
 - flessibile doppia aggiratura 1/2"x1/2"G/L. 1500mm

- Round concealed shower set complete with:
- Minimal Steel (single spray) stainless steel hand-shower
 - round concealed stainless steel fixed bracket
 - 1/2"x1/2"G/L. 1500 mm double interlock flexible hose


ZDUP 103 STEEL

con presa acqua incorporata
with built-in water inlet

Finiture - Finishes

AC

EUR



Supporto incasso tondo in acciaio inox completo di:

- piastra Ø55mm
- attacchi 1/2"G

Round concealed stainless steel fixed bracket complete with:

- wall plate Ø55mm
- 1/2"G connections


ZSUP 033.. STEEL

con presa acqua incorporata
• per art. ZDUP103
with built-in water inlet
• for art. ZDUP103

Finiture - Finishes

AC

EUR



Supporto fisso tondo in acciaio inox
Stainless steel round fixed bracket


ZSUP 034 STEEL

per artt. 002-026-168D
for artt. 002-026-168D

Finiture - Finishes

AC

EUR



Scarico 1 1/4G:
1 1/4G pop up waste:

ZSCA 069.. STEEL

- Clic-Clac con **troppo pieno**
- regolabile 15mm
 - per artt. 071-081-131
- Clic-Clac with **overflow**
- adjustable for 15mm
 - for artt. 071-081-131

Finiture - Finishes

AC


EUR

ZSCA 076.. STEEL

sempre aperto
• per artt. 071-081-131
always open
• for artt. 071-081-131

AC

steel




Scarico normale 1"1/4G
1"1/4G pop-up waste

ZSCA 070.. STEEL

per artt. 075-135
for artt. 075-135

Finiture - Finishes **EUR**
AC




Sifone a bottiglia Steel
Steel bottle trap

ZACC 395 STEEL

con attacco 1"1/4G
with 1"1/4G connection

Finiture - Finishes **EUR**
AC



Bocca a muro per **lavabo** completa di:

- aeratore
- piastra in acciaio Ø70mm
- attacco 1/2"G

Wall spout for **basin mixer** complete with:

- aerator
- stainless steel wall plate Ø70mm
- 1/2"G connection

ZBOC 087


Ø25 con lunghezza l. 250mm

• per art. 006..70

Ø25 with length l. 250mm

• for art. 006..70

Finiture - Finishes **EUR**
AC



Bocca a muro per **lavabo** completa di:

- aeratore
- piastra in acciaio Ø70mm
- attacco 1/2"G

Wall spout for **basin mixer** complete with:

- aerator
- stainless steel wall plate Ø70mm
- 1/2"G connection

ZBOC 132

Ø25 con lunghezza l. 190mm

• per art. 005..70

Ø25 with length l. 190mm

• for art. 005..70

Finiture - Finishes **EUR**
AC


Finiture - Finishes **EUR**


ZA91350 Cartuccia completa Ø25 per artt. 071-075-081-131-135
Complete cartridge Ø25mm for artt. 071-075-081-131-135



ZA91102R Cartuccia completa Ø40 senza distributore con regolazione per artt. 005..70-006..70-010-015-168-168R-180-185
Complete cartridge Ø40 mm without distributor with regulation for artt. 005..70-006..70-010-015-168-168R-180-185

ZA91104R Cartuccia completa Ø35 senza distributore con regolazione per artt. 001-002-101
Complete cartridge Ø35 mm without distributor with regulation for artt. 001-002-101

Finiture - Finishes **EUR**


ZA91360 Cartuccia completa Ø40 con deviatore vasca/doccia per artt. 022-026
Complete cartridge Ø40 mm with diverter bath/shower for artt. 022-026

Finiture - Finishes **EUR**


ZVIT083 Cartuccia deviatore Ø25 mm per artt. 015 / ZCOL500-501
Diverter cartridge Ø25 mm for artt. 015 / ZCOL500-501

Finiture - Finishes **EUR**


ZVIT082 Cartuccia deviatore Ø35 mm per artt. 001-002
Diverter cartridge Ø35 mm for artt. 001-002

Finiture - Finishes **EUR**


ZVIT081 Cartuccia Apertura/Chiusura Ø35 mm per artt. STEELQ 168-168R
Opening/Closing cartridge Ø35 mm for artt. STEELQ 168-168R

Finiture - Finishes **EUR**


ZVIT080 Cartuccia termostatica per artt. STEELQ 168-168R
Thermostatic cartridge for artt. STEELQ 168-168R

Finiture - Finishes **EUR**
AC


ZAER031 Solo cartuccia per aeratore per artt. 001-002-005..70-006..70-101-STEEL2 180
Internal cartridge for aerator for artt. 001-002-005..70-006..70-101-STEEL2 180

Finiture - Finishes **EUR**



ZAER113 Aeratore a scomparsa Ø 18,5x1M per artt. 071-075-081-131-135
Hidden aerator Ø 18,5x1M for artt. 071-075-081-131-135

Finiture - Finishes **EUR**



ZFIS-STEEL2 Set di fissaggio per artt. STEEL2 180
Fixing set for artt. STEEL2 180

ZFIS-STEEL2185 Set di fissaggio per artt. STEEL2 185
Fixing set for artt. STEEL2 185

Finiture - Finishes **EUR**



ZFIS-STEEL075 Set di fissaggio per artt. 071-075-081-131-135
Fixing set for artt. 071-075-081-131-135

Finiture - Finishes **EUR**



ZFLX101 Set 2 flex inox SOFT PEX F3/8 cm. 45 per artt. 081 / STEEL2 180-185
Set of 2 F3/8 stainless steel hoses cm. 45 SOFT PEX for artt. 081 / STEEL2 180-185

ZFLX102 Set 2 flex inox SOFT PEX F3/8 cm. 45 per artt. 071-075-131-135
Set of 2 F3/8 stainless steel hoses cm. 45 SOFT PEX for artt. 071-075-131-135


ZFLX135 Set 2 flex inox M1/2 per artt. 001-002-101
set of 2 stainless steel hoses M1/2 for artt. 001-002-101

Finiture - Finishes **EUR**

CRPX

CRPX

CR



ZFLO072 Flessibile 1500 mm doppia aggraffatura e calotta conica per artt. 002-026-168D / ZCOL500-501 / ZSUP103
Flexible hose 1500 mm double interlock and conical nut for artt. 002-026-168D / ZCOL500-501 / ZSUP103

Finiture - Finishes **EUR**

AC



ZFLO070 Flessibile nylon F1/2" - M15x1 mm.1500 con peso ecologico per artt. 185
F1/2" - M15x1 mm.1500 nylon hose with weight for artt. 185

Finiture - Finishes **EUR**

AC



ZDOC108 Doccia monogetto in acciaio inox per artt. STEEL2 185
Stainless steel single-spray hand-shower for artt. STEEL2 185

Finiture - Finishes **EUR**

AC



Rubinetteria Paffoni S.p.A.

Via Soriso, 2
28076 - Pogno (NO)
Tel. +39 0322 97321/2
Fax + 39 0322 97414
info@paffoni.it

www.paffoni.it